

89/859558

SPE RESPONSE FOR CERTIFICATE OF CORRECTION

Paper No.: _____

DATE : Feb. 15, 2005

TO SPE OF : ART UNIT 1745

SUBJECT : Request for Certificate of Correction on Patent No.: 6,783,888

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

Certificates of Correction Branch - PK 3-915

Palm location 7580 - Tel. No. 305-8309

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

Magdalene Talley

Thank You For Your Assistance

Certificates of Correction Branch

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☒ **Approved**

All changes apply.

☐ **Approved in Part**

Specify below which changes do not apply.

☐ **Denied**

State the reasons for denial below.

Comments:

These Corrections are Correct. These were
made in the Amendment filed 10-8-03.

PATRICK JOSEPH RYAN
SUPERVISORY PATENT EXAMINER

[Signature]

[Signature]

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO : 6,783,888 *B2*
DATED : August 31, 2004
INVENTOR(S) : Hong GAN, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

- Claim 1, line 14, "material proximate the other major side" should read:
--material contacting the other major side of the cathode current collector--;
- Claim 4, line 3, "size volume percent" should read:
--size, by volume %--;
- Claim 5, line 3, "surface area percent" should read:
--surface, by area %--;
- Claim 16, line 11, " γ valerolactone" should read:
-- γ -valerolactone--;
- Claim 16, line 12, " γ butyrolactone, N methyl-pyrrolidinone" should read:
-- γ -butyrolactone, N-methyl-pyrrolidinone--;
- Claim 19, line 8, after "contacting", please insert:
--at least one of--;

MAILING ADDRESS OF SENDER:

Martin G. Linihan
Hodgson Russ LLP
One M&T Plaza, Suite 2000
Buffalo, NY 14203

PATENT NO. 6,783,888 *B2*

No. of additional copies

 0

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231.
DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

18 OCT 2004

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO : 6,783,888 *B2*
DATED : August 31, 2004
INVENTOR(S) : Hong GAN, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 21, please delete the entire claim and replace it with:

- 21. A method for powering an implantable medical device, comprising the steps of:
- a) providing the medical device;
 - b) providing an electrochemical cell comprising the steps of:
 - i) providing an anode of an alkali metal;
 - ii) providing CF_x as a first cathode active material of a first energy density and a first rate capability and providing a second cathode active material of a second energy density and a second rate capability, wherein the first energy density of the CF_x is greater than the second energy density while the first rate capability is less than the second rate capability of the second cathode active material;
 - iii) providing a cathode current collector comprising spaced apart major sides;
 - iv) positioning the CF_x proximate one of the major sides of the cathode current collector;
 - v) contacting the second cathode active material to the other major side of the cathode current collector; and
 - vi) activating the anode and cathode with an electrolyte comprising at least one solvent, wherein the fluorinated carbon is characterized as having been synthesized from a fibrous carbonaceous material having sufficient spacing between graphite layers to substantially restrict expansion due to solvent co-intercalation; and
 - c) electrically connecting the electrochemical cell to the medical device.--

MAILING ADDRESS OF SENDER:

Martin G. Linihan
Hodgson Russ LLP
One M&T Plaza, Suite 2000
Buffalo, NY 14203

PATENT NO. 6,783,888 *B2*

No. of additional copies

 0

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

18 OCT 2004

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO : 6,783,888 *B2*
DATED : August 31, 2004
INVENTOR(S) : Hong GAN, et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 24, line 3, "size volume percent" should read:

--size, by volume %--; and

Claim 25, line 3, "surface area percent" should read:


--surface, by area %--.

MAILING ADDRESS OF SENDER:

Martin G. Linihan
Hodgson Russ LLP
One M&T Plaza, Suite 2000
Buffalo, NY 14203

PATENT NO. 6,783,888 *B2*

No. of additional copies

 0

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

18 OCT 2004